APPENDIX 10 Post Process TxLED Adjustments

The following table provides the TxLED reduction and the adjustment factors for the years 2020, 2030, 2040, and 2045. The source for these reduction factors is Texas A&M TTI, June 2020, based on MOVES2014a inventory mode output (using Texas statewide age distributions and fuel fractions inputs based on 2018 end-of-year TxDMV vehicle registration data) and TCEQ's spreadsheet TxLED factor calculation procedure available at: ftp://amdaftp.tceq.texas.gov/EI/onroad/txled/

Source Use	2020	2030	2040	2045	2020	2030	2040	2045
Туре	Reduction	Reduction	Reduction	Reduction	Factor	Factor	Factor	Factor
Passenger Car	4.94%	4.84%	4.80%	4.80%	0.9506	0.9516	0.952	0.952
Passenger Truck	5.08%	4.86%	4.80%	4.80%	0.9492	0.9514	0.952	0.952
Light Commercial Truck	5.33%	4.96%	4.80%	4.80%	0.9467	0.9504	0.952	0.952
Intercity Bus	5.62%	5.08%	4.80%	4.80%	0.9438	0.9492	0.952	0.952
Transit Bus	5.56%	5.03%	4.80%	4.80%	0.9444	0.9497	0.952	0.952
School Bus	5.61%	5.02%	4.80%	4.80%	0.9439	0.9498	0.952	0.952
Refuse Truck	5.31%	4.82%	4.80%	4.80%	0.9469	0.9518	0.952	0.952
Single Unit Short-Haul Truck	4.89%	4.81%	4.80%	4.80%	0.9511	0.9519	0.952	0.952
Single Unit Long-Haul Truck	4.90%	4.81%	4.80%	4.80%	0.9510	0.9519	0.952	0.952
Motor Home	5.28%	4.90%	4.80%	4.80%	0.9472	0.9510	0.952	0.952
Combination Short-Haul Truck	5.09%	4.82%	4.80%	4.80%	0.9491	0.9518	0.952	0.952
Combination Long-Haul Truck	5.10%	4.82%	4.80%	4.80%	0.9490	0.9518	0.952	0.952